



City of Omaha
Jean Stothert, Mayor

May 5, 2015

RECEIVED

2015 APR 24 AM 9:12

CITY CLERK
OMAHA, NEBRASKA

Public Works Department

Omaha/Douglas Civic Center
1819 Farnam Street, Suite 601
Omaha, Nebraska 68183-0601
(402) 444-5220
Fax (402) 444-5248

Robert G. Stubbe, P.E.
Public Works Director

Honorable President

and Members of the City Council,

Transmitted herewith is a Bid Tabulation and a Resolution authorizing the Purchasing Agent to issue a Purchase Order to KM International, Inc. on the bid for the purchase of a trailer mounted asphalt recycler to be utilized by the Street Maintenance Division.

The following bids were received on April 8, 2015. A detailed bid tabulation is attached.

<u>Contractor</u>	<u>Total Bid</u>
KM International, Inc. Alternate	\$63,680.00 (LOW BID)
Northern Truck Equipment Corp.	\$74,411.00
KM International, Inc.	\$74,600.00
Northern Truck Equipment Corp. Alternate	\$80,159.00

The Alternate bid is for a used unit that is less than two years old.

The Contractor has a current Contract Compliance Report Form (CC-1) on file. As is City policy, the Human Rights and Relations Department will review the contractor to ensure compliance with the Contract Compliance Ordinance.

The Finance Department is authorized to pay the cost of the purchase of a trailer mounted asphalt recycler to be utilized by the Street Maintenance Division from the Street and Highway Allocation Fund 12131, Pavement Maintenance Organization 116158, year 2015 expenditures.

The Public Works Department recommends the acceptance of the bid from KM International, Inc. in the amount of \$63,680.00, being the lowest and best bid received, and requests your consideration and approval of this Resolution.

Respectfully submitted,

Robert G. Stubbe 4-16-15
Robert G. Stubbe, P.E. Date
Public Works Director

Referred to City Council for Consideration:

Jean Stothert 4/23/15
Mayor's Office Date

Approved as to Funding:

Stephen B. Curtiss 4/21/15
Stephen B. Curtiss Date
Finance Director

Approved:

David R. Liles 4/22/15
Human Rights and Relations Date
Department

CITY OF OMAHA

LEGISLATIVE CHAMBER

Omaha, Nebraska

RESOLVED BY THE CITY COUNCIL OF THE CITY OF OMAHA:

WHEREAS, bids were received on April 8, 2015 for the purchase of a trailer mounted asphalt recycler to be utilized by the Street Maintenance Division; and,

WHEREAS, KM International, Inc. submitted a bid of \$63,680.00, being the lowest and best bid received within the bid specifications, for the purchase of a trailer mounted asphalt recycler.

NOW, THEREFORE, BE IT RESOLVED BY THE CITY COUNCIL OF THE CITY OF OMAHA:

THAT, as recommended by the Mayor, the Purchasing Agent be authorized to issue a Purchase Order to KM International, Inc. for the purchase of trailer mounted asphalt recycler to be utilized by the Street Maintenance Division in the amount of \$63,680.00; and, that the Finance Department is authorized to pay this cost from the Street and Highway Allocation Fund 12131, Pavement Maintenance Organization 116158, year 2015 expenditures.

287415scp

APPROVED AS TO FORM:



CITY ATTORNEY 4-17-15
DATE

By.....
Councilmember

Adopted.....

.....
City Clerk

Approved.....
Mayor

Douglas County Purchasing TABULATION OF BIDS ON: CITY OF OMAHA Trailer-Mounted Asphalt Recycler		KM International, Inc	Northern Truck Equipment Corp.	UNIT PRICE	UNIT PRICE	UNIT PRICE	UNIT PRICE
Quantity	Description	UNIT PRICE C	UNIT PRICE B	UNIT PRICE	UNIT PRICE	UNIT PRICE	UNIT PRICE
1 each	Trailer-Mounted Asphalt Recycler BID:	\$74,600.00	\$74,411.00				
	Model:	T-2	STEPP				
	Brand:	KM international	SRM 10 x 120				
	Alternate: Used Trailer-Mounted Asphalt Recycler less than two years old. BID:	\$63,680.00	\$80,159.00				
	Manufacture Date:	August 2014	2014				
	Number of Hours of Operation:	19.0 hrs Engine 7.2 on the burner	Approx. 57 hours				
	Previous Owner:	KM International, Inc. Demo	Demo Owned by STEPP				
	Warranty:	2 years Parts and Workmanship 5 years trailer structure	As is Condition - None				
	Bid Bond Received:	Yes	Yes				
	Terms:	0% / 30					
	Delivery:	30	110 to 140				

DOUGLAS COUNTY
REQUEST FOR BID AND BID SHEET
ON: CITY OF OMAHA Trailer-Mounted Asphalt Recycler

H.H.

RETURN BIDS TO:
CITY CLERK
 1819 Farnam Street
 LC-1 Omaha-Douglas Civic Center
 Omaha, Nebraska 68183-0011

Published: March 25, 2015

Page 1

BID BOND OR CERTIFIED CHECK REQUIRED IN THE AMOUNT 5% IF THE TOTAL AMOUNT FOR THE ITEM OFFERED IS \$20,000 OR MORE. BID BOND OR CERTIFIED CHECK SHALL BE MADE PAYABLE TO "CITY OF OMAHA"

NOT AN ORDER

Bid Opening Time & Date: 11:00 a.m. CST or Wednesday, April 08, 2015

IMPORTANT

- Bid must be in the office of the CITY CLERK, 1819 Farnam Street, LC-1, OMAHA-DOUGLAS CIVIC CENTER, Omaha, NE 68183-0011 by the opening date and time indicated in a sealed envelope marked: **BID ON: CITY OF OMAHA Trailer-Mounted Asphalt Recycler**
- As evidence of good faith a bid bond or certified check must be submitted with bid. Bid bond or certified check shall be made payable to "City of Omaha" **FAILURE TO DO SO IS CAUSE FOR REJECTION.**
- Right is reserved to accept or reject any or all bids in their entirety and the bidders shall have the right to appeal any decision to the City Council. Right is also reserved to accept or reject any part of your bid unless otherwise indicated by you.
- If Federal Excise Tax applies, show amount of same and deduct. Exemption certificates will be furnished. Do not include tax in bid.
- BID MUST INCLUDE ANY DELIVERY OR SHIPPING CHARGES.**
- When submitting bid on items listed, bidder may on a separate sheet, make suggestions covering reduction in costs wherever this is possible through redesign, change of material or utilization of standard items or quantity change.
- If you do not bid, return sheets with reason for declining. Failure to do so will indicate your desire to be removed from our mailing list. **TABULATION SHEETS FOR THE BIDS SUBMITTED ARE AVAILABLE ON THE DOUGLAS COUNTY WEBSITE AT www.douglascountypurchasing.org. DO NOT CALL FOR THIS INFORMATION.**

Quote your lowest price, best delivery and terms, F.O.B. delivery point on the item(s) listed below:

QUANTITY	DESCRIPTION	UNIT PRICE	EXTENSION
1 each	The City of Omaha is seeking bids for a Trailer-Mounted Asphalt Recycler per the attached two (2) pages of specifications. Trailer-Mounted Asphalt Recycler Model / Brand: <u>T-2 KM INTERNATIONAL</u> ALTERNATE: Used Trailer-Mounted Asphalt Recycler less than two (2) years old. Manufacture Date: <u>AUGUST 2014</u> Number of Hours of Operation: <u>19.0 hrs ENGINE 7.2 on the BURNER</u> Previous Owner: <u>KM INTERNATIONAL INC DEMO</u> Warranty: <u>2 yrs PARTS & WORKSMANSHIP 5 yrs TRAILER STRUCTURE</u> Questions regarding this bid should be directed to: Holly Hurt via email at Holly.Hurt@douglascounty-ne.gov	BID: \$ <u>74,600⁰⁰</u> BID: \$ <u>63,680⁰⁰</u>	\$ <u>74,600⁰⁰</u> (5% Bid Bond is to be based upon this amount, if over \$20,000.00)

REQUIREMENTS FOR BID BOND: The surety company issuing the bid bond should be licensed by the State of Nebraska and listed on the current edition of Circular 570 of the United States Department of the Treasury. A certified check, an official bank check, or cashier's checks drawn on a national bank or a bank chartered under the laws of the state, payable to the City of Omaha, or lawful money of the United States, or a United States Government Bond (negotiable) are acceptable substitutes for bond requirements. **LETTERS OF CREDIT AND COMPANY CHECKS ARE NOT ACCEPTABLE SUBSTITUTES FOR A BID BOND AND WOULD BE CAUSE FOR REJECTION OF BID.** If a bidder submits more than one bid, only one bid bond is required; however, the 5% bid bond must be calculated using the highest bid amount of all submitted bids.

All bidders awarded a contract in the amount of \$5,000 or more must comply with the Contract Compliance Ordinance and have on file with the Human Rights & Relations Department the Contract Compliance Report (Form CC-1). This report shall be in effect for 24 months from the date received by the Human Rights & Relations Department. Any questions regarding the Contract Compliance Ordinance should be directed to the Human Rights & Relations Department at (402)444-5055.

(PLEASE PRINT LEGIBLY OR TYPE)

Payment Terms _____ %	Firm: <u>KM INTERNATIONAL INC</u>	Incorporated In: <u>MI</u>
Delivery (or completion) <u>30</u> calendar days following award	Name: <u>MIKE D. MCGUCKIN</u>	Signature: <u>[Signature]</u>
	Title: <u>SALES</u>	Phone: <u>810-688-1234</u> Fax: <u>810-688-8765</u>
	Address: <u>6561 BERNIE KOHLER DR. NORTH BRANCH, MI 48461</u>	
	Street/P.O. Box	City State Zip
	Email Address: <u>MIKE @ KMINTERNATIONAL.COM</u>	

**DOUGLAS COUNTY
REQUEST FOR BID
ON: CITY OF OMAHA Trailer-Mounted Asphalt Recycler**

NOT AN ORDER

Page 2

DESCRIPTION
<p>REQUIREMENTS FOR BID BOND: The surety company issuing the bid bond should be licensed by the State of Nebraska and listed on the current edition of Circular 570 of the United States Department of the Treasury. A certified check, an official bank check, or cashier's checks drawn on a national bank or a bank chartered under the laws of the state, payable to the City of Omaha, or lawful money of the United States, or a United States Government Bond (negotiable) are acceptable substitutes for bond requirements. LETTERS OF CREDIT AND COMPANY CHECKS ARE NOT ACCEPTABLE SUBSTITUTES FOR A BID BOND AND WOULD BE CAUSE FOR REJECTION OF BID. If a bidder submits more than one bid, only one bid bond is required; however, the 5% bid bond must be calculated</p>
<p>Equal Employment Opportunity: In accordance with the Nebraska Fair Employment Practice Act, Neb. Rev. Stat. §48-1122, the Contractor agrees that neither it nor any of its subcontractors shall discriminate against any employee, or applicant for employment to be employed in the performance of this Agreement, with respect to hire, tenure, terms, conditions, or privileges of employment because of the race, color, religion, sex, disability, or national origin of the employee or applicant.</p>
<p>New Employee Work Eligibility Status (Neb. Rev. Stat. §4-108-114) The Contractor is required and hereby agrees to use a federal immigration verification system to determine the work eligibility status of new employees physically performing services within Douglas County. A federal immigration verification system means the electronic verification of the work authorization program authorized by the Illegal Immigration Reform and Immigrant Responsibility Act of 1996, 8 U.S.C. 1324a, known as the E-Verify Program, or an equivalent federal program designated by the United States Department of Homeland Security or other federal agency authorized to verify the work eligibility status of a newly hired employee.</p> <p>If the Contractor is an individual or sole proprietorship, the following applies:</p> <ol style="list-style-type: none"> 1. The Contractor must complete the United States Citizenship Attestation Form, available on the Department of Administrative Services website at www.das.state.ne.us. 2. If the Contractor indicates on such attestation form that he or she is a qualified alien, the Contractor agrees to provide the US Citizenship and Immigration Services documentation required to verify the Contractor's lawful presence in the United States using the Systematic Alien Verification for Entitlements (SAVE) Program. 3. The Contractor understands and agrees that lawful presence in the United States is required and the Contractor may be disqualified or the contract terminated if such lawful presence cannot be verified as required by Neb. Rev. Stat. § 4-108.

SIGN ALL COPIES

Firm KM INTERNATIONAL INC
 By [Signature]
 Title SALES

CONTINUATION SHEET

Responsible Contractor Compliance Form RC-1



1. Regulation:

A. Article IV, Division I of Chapter 10 of the Omaha Municipal Code thereon require:

1. That all contractors who submit a bid to City of Omaha shall designate a representative who on behalf of the Contractor, shall fill out completely a Responsible Contractor Compliance Form (RC-1). An incomplete or unsigned RC-1 form will make your bid null and void.

2. Filing this Report (please initial in the boxes below):



Contractor agrees that Contractor will not knowingly employ or hire an employee not lawfully authorized to perform employment in the United States and that the Contractor and all sub-contractors shall use E-Verify to determine work eligibility.



Contractor agrees that Contractor will not knowingly violate Nebraska's Misclassification of Employee law (Neb. Rev. Stat. Section 48-2901 et seq.).



Contractor agrees that Contractor will not knowingly violate Nebraska's Fair Labor Standards Law (Neb. Rev. Stat. Section 73-104 et seq.).



Contractor has not been convicted of any tax violations (local, State and Federal) within the last three years from the date this bid is submitted.



Contractor has not, upon final determination by the Occupational Safety and Health Administration, been convicted of a criminal, repeat, or willful violation of the Occupational Safety and Health Act (OSHA) or been convicted of 3 (three) separate "serious" OSHA violations within the past three (3) years.



Contractor agrees to make a good faith effort to ensure all subcontractors employed on this project comply with the provisions of the Responsible Contractor Compliance Form RC-1.

Signature

MARCH 31, 2015

Date

By signing, I verify on behalf of the Contractor that the information above is true and correct. Filing false information carries a penalty of up to a \$500 fine or six months in jail. In addition, the contractor and sub-contractors can be subject to immediate disqualification and prohibited from any future City of Omaha contract for a period of 10 years.

Specification for Trailer-Mounted Asphalt Recycler

GENERAL: The City of Omaha is accepting bids for a new, trailer-mounted asphalt recycler. Recycler shall mechanically mix and heat asphalt grindings, asphaltic cement, and other materials to produce a hot mix asphalt concrete. The recycler shall be self-contained. All power, hydraulics and heat system are to be mounted on the trailer.

RECYCLER: The recycler shall be capable of mixing approximately 2,000 pounds of material in a rotating drum. The drum shall be designed to blend the asphalt components while the mixture is heated. The drum shall be hydraulically powered. Hydraulic pump and drive engine shall be sized adequately as determined by the manufacturer.

MIXING DRUM: Drum shall be loaded from above using a standard skid loader. Recycler shall have a load hopper that directs material dumped from a loader bucket into the drum. Finished asphalt shall be discharged at ground level. Drum shall be dumped and counter rotated to unload. Drum and hopper shall be hydraulically powered.

HEATING SYSTEM: Heat shall be provided by an open flame lance which heats the asphalt cement as it is mixed. Heating System shall be capable of delivering a minimum of 700,000 Btu/hr. Bidders shall specify the fuel source to be used. System shall be capable of heating 2,000 pounds of asphalt components, free of ice and excess moisture, from 10° F to 350° F in less than 30 minutes.

CONTROLS: Controls and gauges for all heat and power systems shall be clearly marked and located in an easy-to-access panel. The recycler body shall consist of a structural frame, sheet metal and expanded metal panels to protect operators from moving and rotating components. All components, including the trailer, shall be powder coated, painted, or otherwise protected from the elements and normal wear and abrasion. Color shall be manufacturer's standard factory color.

TRAILER: Unit shall be permanently mounted on trailer. Trailer and axles shall be sized for the weight of the equipment, full fuel tanks, 2000 pounds of asphalt cement (or greater if the unit is rated to produce more than 2000 pounds per batch), and 2000 pounds of other material that operators might place on the trailer. Trailer shall have a pintel hitch and swiveling trailer jack mounted on the tongue. Trailer shall be equipped with tail lights wired to a 7 pin RV plug.

DELIVERY AND ACCEPTANCE: The recycler shall be delivered to the City of Omaha Fleet Maintenance Facility at 2606 Lake Street. Unit shall be complete, fully assembled, and fully operational. Two copies each of an operating manual, maintenance manual, and parts list shall be included. The manufacturer shall warrant the recycler to be free from manufacturing and design defects for one year from the time the City accepts the unit.

ALTERNATE BIDS: The City will accept bids on used recyclers. Used equipment shall be less than two years old and have less than 100 hours of the operating meter. Minor wear and cosmetic defects are acceptable. Operationally, unit shall be no different from a newly manufactured recycler. Supplier shall warrant the used recycler to be free from manufacturing and design defects for one year from the time the City accepts the unit. Bidder shall specify the manufacture date, hours of operation, and previous owner.

ACCEPTANCE: The City will review all bids and reserves the right to accept the lowest and best bid or to reject all bids.

Specification Sheet

KM International – Model KM T-2

KM T-2 portable asphalt recycling machine can recycle up to Four (+4) tons per hour of either broken up chunk asphalt or milled asphalt- 2600lbs per load

Trailer.

GVWR..... 14,000 lbs. (Standard)
Axles..... Dual 7,000 lbs. each
Frames..... 8" channel steel with 6" cross members
Brakes..... Electric, 4 wheels, breakaway kit (hydraulic brakes optional)
Tires..... Four (4) ST 235/80R16 trailer service, 3500 lbs rated each
Fenders..... 3/16" diamond plate steel, welded to frame
Hitch..... 3" ID pintle, adjustable 18" to 30"
Jack Stand..... 7000 lb square tube, swivel mount, top wind
Safety Chains..... 3/8" zinc coated grade 70, forced slip hooks

Dimensions & Weight.

Length..... 23' – 10" (Loading Hopper down in travel position)
Width..... 8' – 0"
Height..... 9' – 0" (Loading Hopper down in travel position): 10' – 2" (Loading Hopper up)
Weight (net)..... 9,460 lbs

Loading Hopper.

Top opening..... 26" x 94"
Construction..... 3/16" steel, 250 brinell hardened
Actuators..... (2) hydraulic cylinders, 2" x 16"

Asphalt Heating Drum.

Construction..... 3/16" steel, 450 brinell hardened
Agitators..... Seven (7), 3/16" steel, 450 brinell hardened
Rotation..... Hydraulic, reversible, approximately 10 rpm, fixed

Engine.

Model..... D902-11774
Engine..... Kubota diesel, 898 CC, 3 cylinder, inline, EPA Tier 4
Fuel tank capacity... 80 gallon with filter and manual shut-off (common tank with burner)
Power..... 21.6 BHP @ 3200RPM, liquid cooled
Features..... 12V electric starter, mechanical fuel pump, fuel filter, control panel with keyswitch

Hydraulics

Reservoir (capacity)..... 22 gallon
Pump (output)..... 9.5 gallon/minute with splined shaft
Motor (capacity)..... 38 cubic inch with 3 piece, self-centering, keyless locking assembly
Cylinders (Bore x Stroke).. Lift: 5" x 15"; load: (2) 2" x 16"
Other components: hydraulic driven heat exchanger, control valves, pressure gauges, filters, piping and hoses

Specification Sheet

KM International – Model KM T-2

Heating System.

Fuel..... No. 1 or No. 2 diesel, B-5 bio-diesel
Fuel Storage..... 80 gallon with filter and manual shut-off (common tank with engine)
Burner Type..... Beckett Model SDC
Burner Capacity..... 700,000 BTU
Other components: piping, hoses, gage and swivel arm

Electrical System.

Battery..... 12V, deep cycle gel battery
Charging..... Kubota diesel engine 40 amp: backup through vehicle charging system
Other components: engine control panel with safety shutdown and first out fault indication, hour meter, keyswitch, speed selector switch (idle/run)

Hydraulic Controls.

Drum rotation (load/neutral/unload), Load Chute (up/down), Dump (up/down)

Burner Controls.

Burner control (manual on/off), 12 Volt meter, Hour meter, Pressure gauge

Emergency Stop.

Red mushroom push button (engine and burner stop) located on the burner platform

Performance.

Load size (nominal)..... 2600 lbs per load
Recycled asphalt temperature..... Controlled by operator
Operating Temperature Range..... 280°F – 360°F

Recycling time will vary depending on moisture content, ambient temperature, asphalt quality or type (millings, broken pieces, etc).

Operation.

Loading..... Mechanically, broken chunk pieces (up to 12") or milled asphalt (RAP)
Unloading..... Self-unloading on to repair site, or into loader bucket

DOUGLAS COUNTY
REQUEST FOR BID AND BID SHEET
ON: CITY OF OMAHA Trailer-Mounted Asphalt Recycler

H.H.

RETURN BIDS TO:
CITY CLERK
1819 Farnam Street
LC-1 Omaha-Douglas Civic Center
Omaha, Nebraska 68183-0011

Published: March 25, 2015

Page 1

BID BOND OR CERTIFIED CHECK REQUIRED IN THE AMOUNT 5% IF THE TOTAL AMOUNT FOR THE ITEM OFFERED IS \$20,000 OR MORE. BID BOND OR CERTIFIED CHECK SHALL BE MADE PAYABLE TO "CITY OF OMAHA"

NOT AN ORDER

Bid Opening Time & Date: 11:00 a.m. CST or Wednesday, April 08, 2015

IMPORTANT

1. Bid must be in the office of the CITY CLERK, 1819 Farnam Street, LC-1, OMAHA-DOUGLAS CIVIC CENTER, Omaha, NE 68183-0011 by the opening date and time indicated in a sealed envelope marked: **BID ON: CITY OF OMAHA Trailer-Mounted Asphalt Recycler**
2. As evidence of good faith a bid bond or certified check must be submitted with bid. Bid bond or certified check shall be made payable to "City of Omaha" **FAILURE TO DO SO IS CAUSE FOR REJECTION.**
3. Right is reserved to accept or reject any or all bids in their entirety and the bidders shall have the right to appeal any decision to the City Council. Right is also reserved to accept or reject any part of your bid unless otherwise indicated by you.
4. If Federal Excise Tax applies, show amount of same and deduct. Exemption certificates will be furnished. Do not include tax in bid.
5. **BID MUST INCLUDE ANY DELIVERY OR SHIPPING CHARGES.**
6. When submitting bid on items listed, bidder may on a separate sheet, make suggestions covering reduction in costs wherever this is possible through redesign, change of material or utilization of standard items or quantity change.
7. If you do not bid, return sheets with reason for declining. Failure to do so will indicate your desire to be removed from our mailing list. **TABULATION SHEETS FOR THE BIDS SUBMITTED ARE AVAILABLE ON THE DOUGLAS COUNTY WEBSITE AT www.douglascountypurchasing.org. DO NOT CALL FOR THIS INFORMATION.**

Quote your lowest price, best delivery and terms, F.O.B. delivery point on the item(s) listed below:

QUANTITY	DESCRIPTION	UNIT PRICE	EXTENSION
1 each	The City of Omaha is seeking bids for a Trailer-Mounted Asphalt Recycler per the attached two (2) pages of specifications. Trailer-Mounted Asphalt Recycler BID: \$ 74,411.00 Model / Brand: <u>STAPP / SRM 10x120</u> ALTERNATE: Used Trailer-Mounted Asphalt Recycler less than two (2) years old. BID: \$ 80,159.00 Manufacture Date: <u>2014</u> Number of Hours of Operation: <u>APPROX. 57 HOURS</u> Previous Owner: <u>DEMO OWNED BY STAPP</u> Warranty: <u>AS IS CONDITION - NONE</u> Questions regarding this bid should be directed to: Holly Hurt via email at Holly.Hurt@douglascounty-ne.gov		<u>\$ 74,411.00</u> (5% Bid Bond Is to be based upon this amount, if over \$20,000.00)

REQUIREMENTS FOR BID BOND: The surety company issuing the bid bond should be licensed by the State of Nebraska and listed on the current edition of Circular 570 of the United States Department of the Treasury. A certified check, an official bank check, or cashier's checks drawn on a national bank or a bank chartered under the laws of the state, payable to the City of Omaha, or lawful money of the United States, or a United States Government Bond (negotiable) are acceptable substitutes for bond requirements. **LETTERS OF CREDIT AND COMPANY CHECKS ARE NOT ACCEPTABLE SUBSTITUTES FOR A BID BOND AND WOULD BE CAUSE FOR REJECTION OF BID.** If a bidder submits more than one bid, only one bid bond is required; however, the 5% bid bond must be calculated using the highest bid amount of all submitted bids.

All bidders awarded a contract in the amount of \$5,000 or more must comply with the Contract Compliance Ordinance and have on file with the Human Rights & Relations Department the Contract Compliance Report (Form CC-1). This report shall be in effect for 24 months from the date received by the Human Rights & Relations Department. Any questions regarding the Contract Compliance Ordinance should be directed to the Human Rights & Relations Department at (402)444-5055.

(PLEASE PRINT LEGIBLY OR TYPE)

Payment Terms <u>0 % 30</u>	Firm: <u>NORTHERN TRUCK EQUIPMENT CORP</u>	Incorporated In: <u>SOUTH DAKOTA</u>
Delivery (or completion) <u>110-140</u> calendar days following award	Name: <u>JOHN WARTENBEE</u>	Signature: <u>[Signature]</u>
	Title: <u>VICE PRESIDENT</u>	Phone: <u>605-543-5206</u> Fax: <u>605-543-5219</u>
	Address: <u>PO BOX 2435 SIOUX FALLS SD 57101</u>	
	Street/P.O. Box City State Zip	
	Email Address: <u>JWARTENBEE@NTECORP.COM</u>	

**DOUGLAS COUNTY
REQUEST FOR BID
ON: CITY OF OMAHA Trailer-Mounted Asphalt Recycler**

NOT AN ORDER

Page 2

DESCRIPTION
<p>REQUIREMENTS FOR BID BOND: The surety company issuing the bid bond should be licensed by the State of Nebraska and listed on the current edition of Circular 570 of the United States Department of the Treasury. A certified check, an official bank check, or cashier's checks drawn on a national bank or a bank chartered under the laws of the state, payable to the City of Omaha, or lawful money of the United States, or a United States Government Bond (negotiable) are acceptable substitutes for bond requirements. LETTERS OF CREDIT AND COMPANY CHECKS ARE NOT ACCEPTABLE SUBSTITUTES FOR A BID BOND AND WOULD BE CAUSE FOR REJECTION OF BID. If a bidder submits more than one bid, only one bid bond is required; however, the 5% bid bond must be calculated</p>
<p>Equal Employment Opportunity: In accordance with the Nebraska Fair Employment Practice Act, Neb. Rev. Stat. §48-1122, the Contractor agrees that neither it nor any of its subcontractors shall discriminate against any employee, or applicant for employment to be employed in the performance of this Agreement, with respect to hire, tenure, terms, conditions, or privileges of employment because of the race, color, religion, sex, disability, or national origin of the employee or applicant.</p>
<p>New Employee Work Eligibility Status (Neb. Rev. Stat. §4-108-114) The Contractor is required and hereby agrees to use a federal immigration verification system to determine the work eligibility status of new employees physically performing services within Douglas County. A federal immigration verification system means the electronic verification of the work authorization program authorized by the Illegal Immigration Reform and Immigrant Responsibility Act of 1996, 8 U.S.C. 1324a, known as the E-Verify Program, or an equivalent federal program designated by the United States Department of Homeland Security or other federal agency authorized to verify the work eligibility status of a newly hired employee.</p> <p>If the Contractor is an individual or sole proprietorship, the following applies:</p> <ol style="list-style-type: none"> 1. The Contractor must complete the United States Citizenship Attestation Form, available on the Department of Administrative Services website at www.das.state.ne.us . 2. If the Contractor indicates on such attestation form that he or she is a qualified alien, the Contractor agrees to provide the US Citizenship and Immigration Services documentation required to verify the Contractor's lawful presence in the United States using the Systematic Alien Verification for Entitlements (SAVE) Program. 3. The Contractor understands and agrees that lawful presence in the United States is required and the Contractor may be disqualified or the contract terminated if such lawful presence cannot be verified as required by Neb. Rev. Stat. § 4-108.

SIGN ALL COPIES

Firm NORTHERN TRUCK EQUIPMENT CORP
 By JOHN WARTENBEE *[Signature]*
 Title VICE PRESIDENT

CONTINUATION SHEET

Responsible Contractor Compliance Form RC-1



1. Regulation:

A. Article IV, Division I of Chapter 10 of the Omaha Municipal Code thereon require:

1. That all contractors who submit a bid to City of Omaha shall designate a representative who on behalf of the Contractor, shall fill out completely a Responsible Contractor Compliance Form (RC-1). An incomplete or unsigned RC-1 form will make your bid null and void.

2. Filing this Report (please initial in the boxes below):



Contractor agrees that Contractor will not knowingly employ or hire an employee not lawfully authorized to perform employment in the United States and that the Contractor and all sub-contractors shall use E-Verify to determine work eligibility.



Contractor agrees that Contractor will not knowingly violate Nebraska's Misclassification of Employee law (Neb. Rev. Stat. Section 48-2901 et seq.).



Contractor agrees that Contractor will not knowingly violate Nebraska's Fair Labor Standards Law (Neb. Rev. Stat. Section 73-104 et seq.).



Contractor has not been convicted of any tax violations (local, State and Federal) within the last three years from the date this bid is submitted.



Contractor has not, upon final determination by the Occupational Safety and Health Administration, been convicted of a criminal, repeat, or willful violation of the Occupational Safety and Health Act (OSHA) or been convicted of 3 (three) separate "serious" OSHA violations within the past three (3) years.



Contractor agrees to make a good faith effort to ensure all subcontractors employed on this project comply with the provisions of the Responsible Contractor Compliance Form RC-1.

Signature

[Handwritten Signature]

Date

4-8-15

By signing, I verify on behalf of the Contractor that the information above is true and correct. Filing false information carries a penalty of up to a \$500 fine or six months in jail. In addition, the contractor and sub-contractors can be subject to immediate disqualification and prohibited from any future City of Omaha contract for a period of 10 years.

Specification for Trailer-Mounted Asphalt Recycler

GENERAL: The City of Omaha is accepting bids for a new, trailer-mounted asphalt recycler. Recycler shall mechanically mix and heat asphalt grindings, asphaltic cement, and other materials to produce a hot mix asphalt concrete. The recycler shall be self-contained. All power, hydraulics and heat system are to be mounted on the trailer.

RECYCLER: The recycler shall be capable of mixing approximately 2,000 pounds of material in a rotating drum. The drum shall be designed to blend the asphalt components while the mixture is heated. The drum shall be hydraulically powered. Hydraulic pump and drive engine shall be sized adequately as determined by the manufacturer.

MIXING DRUM: Drum shall be loaded from above using a standard skid loader. Recycler shall have a load hopper that directs material dumped from a loader bucket into the drum. Finished asphalt shall be discharged at ground level. Drum shall be dumped and counter rotated to unload. Drum and hopper shall be hydraulically powered.

HEATING SYSTEM: Heat shall be provided by an open flame lance which heats the asphalt cement as it is mixed. Heating System shall be capable of delivering a minimum of 700,000 Btu/hr. Bidders shall specify the fuel source to be used. System shall be capable of heating 2,000 pounds of asphalt components, free of ice and excess moisture, from 10° F to 350° F in less than 30 minutes.

CONTROLS: Controls and gauges for all heat and power systems shall be clearly marked and located in an easy-to-access panel. The recycler body shall consist of a structural frame, sheet metal and expanded metal panels to protect operators from moving and rotating components. All components, including the trailer, shall be powder coated, painted, or otherwise protected from the elements and normal wear and abrasion. Color shall be manufacturer's standard factory color.

TRAILER: Unit shall be permanently mounted on trailer. Trailer and axles shall be sized for the weight of the equipment, full fuel tanks, 2000 pounds of asphalt cement (or greater if the unit is rated to produce more than 2000 pounds per batch), and 2000 pounds of other material that operators might place on the trailer. Trailer shall have a pintel hitch and swiveling trailer jack mounted on the tongue. Trailer shall be equipped with tail lights wired to a 7 pin RV plug.

DELIVERY AND ACCEPTANCE: The recycler shall be delivered to the City of Omaha Fleet Maintenance Facility at 2606 Lake Street. Unit shall be complete, fully assembled, and fully operational. Two copies each of an operating manual, maintenance manual, and parts list shall be included. The manufacturer shall warrant the recycler to be free from manufacturing and design defects for one year from the time the City accepts the unit.

ALTERNATE BIDS: The City will accept bids on used recyclers. Used equipment shall be less than two years old and have less than 100 hours of the operating meter. Minor wear and cosmetic defects are acceptable. Operationally, unit shall be no different from a newly manufactured recycler. Supplier shall warrant the used recycler to be free from manufacturing and design defects for one year from the time the City accepts the unit. Bidder shall specify the manufacture date, hours of operation, and previous owner.

ACCEPTANCE: The City will review all bids and reserves the right to accept the lowest and best bid or to reject all bids.

* SEE ATTACHED SHEET FOR DEVIATIONS / SPECIFICATIONS ON
STEPP ASPHALT RECYCLER

* SEE NTEC SALES ORDER # SF258202 FOR OPTIONS ON NEW MACHINE

* SEE NTEC SALES ORDER # SF258201 FOR SPECIFICATIONS ON DEMO UNIT
NOTE: DEMO UNIT AVAILABLE FOR IMMEDIATE DELIVERY

Deviations to Specifications
Trailer Mounted Asphalt Recycler
City of Omaha

Overview

The Stepp SRM 10x120 is a fully mobile asphalt recycler mixer. This asphalt recycler is a pug mill design and has an indirect heating system that does not allow the flame to hit the material. Millings are fed in to the load bin via a loader or shoveled from the back of the truck. The unit also incorporates a liquid asphalt kettle to add a small percentage of oil into the pug mill and also has a tack wand to tack coat the pothole. This asphalt recycler is ideal for pothole patching, repairing utility trenches, water main breaks and all other types of asphalt repairs. It can make your repairs any time of the year and any time of the day. Optional self loading conveyors, warning lights, tool holders, Hydraulic jack hammers and other tools required by the pothole patch crews are also available.

With the self loading conveyor system option no additional equipment is needed on the road to do repairs. You load the SRM directly from your dump truck to a conveyor that loads the hopper.

The SRM 10-120 will recycle asphalt millings into new 300°F hot mix at a rate of up to 3 Tons per hour. This rate can be achieved even at an outside temperature of 20°F giving you usable production rates year round.

Custom mixes from raw materials can also be created with the SRM 10-120. Different sized aggregate, chips, or even sand, can be used to make the perfect mix for your special needs.

Recycler:
1000# Batches

Mixing Drum:
Shall have a pugmill for mixing. Shall have forward and reverse for discharge onto shovel platform.

Heating System:
Hopper shall be heated using two Beckett diesel burners using an indirect heating method, meaning the flame never comes into contact with the material reducing smoke emission, burning oils off your millings, and fire dangers. Shall produce up to 1000# batches at a time.

NORTHERN TRUCK EQUIPMENT CORP.
P.O. BOX 2435
SIOUX FALLS, SD 57101-2435



"for over 77 years"

Northern Truck Equipment Corp.

P. O. Box 130 – Rapid City, SD 57709-0130 – Phone (605) 341-8780 – Fax: (605) 341-8786
 P. O. Box 347 – Watertown, SD 57201-0013 – Phone (605) 886-5816 – Fax: (605) 886-5819
 P. O. Box 9675 – Fargo, ND 58106-9675 – Phone (701) 281-1718 – Fax: (701) 281-1859
 P. O. Box 2435 – Sioux Falls, SD 57101-2435 – Phone (605) 543-5206 – Fax: (605) 543-5219

www.ntecorp.com
 email: jwartenbee@ntecorp.com

SALES ORDER

SF 258201

City Of Omaha	DATE 4-8-15'
	NAME
Omaha, NE	PHONE
	Email

WE PROPOSE TO FURNISH THE FOLLOWING FOR YOUR CONSIDERATION:

DELIVERY:	In Stock	QUOTED F.O.B.	Omaha, NE	TERMS:	Net 10th
QUANTITY	DESCRIPTION			PRICE	
	Specifications On 2014 Stepp Demo Unit				
1	Stepp Asphalt Recycler With Loading Conveyor Model SRM10x120				
	Options Included:				
	Spare Tire With Holder				
	Electric Overnight Heat For Tack Tank 110V				
	Washdown System				
	Hose Reel For Washdown				
	Fire Extinguisher				
	Toolbox				
	Shovel Cleaning Compartment				
	Front Step With Railing				
	Stainless Steel Tool Holder				
	Heating Overhead Boom With 12' Hose And Wand				
	Compactor Plate Carrier				
	2 Light LED				
	Electric Brakes				
	Hwy Orange Color				
	Pintle				
	7RV Light Plug				

QUOTATION FIRM FOR 30 DAYS

We accept the above quotation as a firm order, subject to confirmation from NTEC.

NORTHERN TRUCK EQUIPMENT CORP.

BY John T. Wartenbee
 TITLE Vice President

Buyer
 (Name of Individual, Company or Political Subdivision)
 (Name and Title of Official)



"for over 77 years"

Northern Truck Equipment Corp.

P. O. Box 130 – Rapid City, SD 57709-0130 – Phone (605) 341-8780 – Fax: (605) 341-8786
P. O. Box 347 – Watertown, SD 57201-0013 – Phone (605) 886-5816 – Fax: (605) 886-5819
P. O. Box 9675 – Fargo, ND 58106-9675 – Phone (701) 281-1718 – Fax: (701) 281-1859
P. O. Box 2435 – Sioux Falls, SD 57101-2435 – Phone (605) 543-5206 – Fax: (605) 543-5219

www.ntecorp.com
email: jwardenbee@ntecorp.com

SALES ORDER

SF 258202

City Of Omaha

DATE 4-8-15'

NAME

Omaha, NE

PHONE

Email

WE PROPOSE TO FURNISH THE FOLLOWING FOR YOUR CONSIDERATION:

DELIVERY: 110-140 Days QUOTED F.O.B. Omaha, NE TERMS: Net 10th

QUANTITY	DESCRIPTION	PRICE
	Specifications On New 2015 Stepp Asphalt Recycler	
1	Stepp Asphalt Recycler With Loading Conveyor Model SRM10x120	
	Base Unit Includes: Diesel Burner And Engine With Enclosures	
	Automatic Temperature Controls, Liquid Additive Kettle, Loading Conveyor	
	Overhead Non-Heated Boom, Electric Brakes And 2 Light System	
	Hwy Orange Color Unless Otherwise Specified	
	Pintle, 7RV Plug	
	Options To Consider	
	Electric Overnight Heat For Tack Tank – ADD \$1,294.00	
	Washdown System – ADD \$685.00	
	Hose Reel For Washdown – ADD \$513.00	
	Strobe Lights – ADD \$311.00	
	Shovel Cleaning Compartment – ADD \$699.00	
	Arrowboard – ADD \$1,348.00	
	Stainless Steel Tool Holder – ADD \$108.00	
	Heating Overhead Boom With 12' Hose And Wand – ADD \$4,210.00	
	Aluminum Wand In Lieu Of Steel – ADD \$271.00	
	Compactor Plate Carrier – ADD \$1,420.00	
	2 Light LED – ADD \$702.00	

QUOTATION FIRM FOR 30 DAYS

We accept the above quotation as a firm order, subject to confirmation from NTEC.

NORTHERN TRUCK EQUIPMENT CORP.

BY John T. Wardenbee

Buyer

(Name of Individual, Company or Political Subdivision)

TITLE Vice President

(Name and Title of Official)